EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	((reserv$5 with resource) same (topology with chang$4)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 12:29
L2	24	((reserv$5 with resource) same (topology with chang$4)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:51
L5	1	(propogat$5 same (topology same chang$4)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:00
L6	827	(transmit$6 same (topology same chang$4)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:02
L7	211	(transmit$6 with (topology with chang$4)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:02
L8	22	(transmit$6 with (topology with chang$4)) and (@rlad<"20030114" or @ad<"20030114") and rout$3.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:10
L10	10	(transmit$6 with (topology with chang$4)) and LAN and (@rlad<"20030114" or @ad<"20030114") and rout$3.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:13
L11	99	(transmit$6 with (topology with chang$4)) and LAN and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:13

EAST Search History

L12	81	(transmit$6 with (topology with chang$4)) and LAN and router and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:13
S1	12564	((rout$4 or switch$5 or gateway) same (validat$5)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:30
S2	7204	((rout$4 or switch$5 or gateway) same (validat$5) same (messag$5 or frame or data or packet or cell)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:32
S3	2935	((rout$4 or switch$5 or gateway) same (validat$5) same (messag$5 or frame or data or packet or cell) same (request$5 or respons$4 or repl$5)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:33
S4	1611	((router or switch$5 or gateway) same (validat$5) same (messag$5 or frame or data or packet or cell) same (request$5 or respons$4 or repl$5)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:33
S5	1320	((router or switch or gateway) same (validat$5) same (messag$5 or frame or data or packet or cell) same (request$5 or respons$4 or repl$5)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:34
S6	774	((router or switch or gateway) same ((validat$5) with (messag$5 or frame or data or packet or cell)) same (request$5 or respons$4 or repl$5)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:35
S7	473	((router or switch or gateway) same ((validat$5) with (messag$5 or frame or data or packet or cell) with (request$5 or respons$4 or repl$5))) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:36

EAST Search History

S8	19	((router or switch or gateway) same ((validat$5) with (messag$5 or frame or data or packet or cell) with (request$5 or respons$4 or repl$5))) and (@rlad<"20030114" or @ad<"20030114") and rout$5.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:42
S9	45	((rout$5 or switch$4 or gateway) same ((rout$5 adj2 validat$5) with (messag$5 or frame or data or packet or cell) with (request$5 or respons$4 or repl$5))) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:49
S11	15	((rout$5 or switch$4 or gateway) same (updat$4) same ((rout$5 adj2 validat$5) with (messag$5 or frame or data or packet or cell) with (request$5 or respons$4 or repl$5))) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:06
S12	6069	((rout$5 or switch$4 or gateway) same (transmit$6 or send$5) same (policy or qos or (quality adj2 service) or validat$5) same (messag$4 or data or cell or packet or frame)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:12
S13	1197	((rout$5 or switch$4 or gateway) with (transmit$6 or send$5) with (policy or qos or (quality adj2 service) or validat$5) with (messag$4 or data or cell or packet or frame)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:13
S14	123	((rout$5 or switch$4 or gateway) with (transmit$6 or send$5) with (policy or qos or (quality adj2 service) or validat$5) with (messag$4 or data or cell or packet or frame)) and (@rlad<"20030114" or @ad<"20030114") and rout$5.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:19
S15	6	((rout$5 or switch$4 or gateway) with (transmit$6 or send$5) with (policy or qos or (quality adj2 service) or validat$5) with (quer$4)) and (@rlad<"20030114" or @ad<"20030114") and rout$5.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:24

EAST Search History

S16	1107	(updat$5 with (topology or (routing adj2 (table or information)) or tree)) and (@rlad<"20030114" or @ad<"20030114") and rout$5.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:26
S17	2	(updat$5 with (topology or (routing adj2 (table or information)) or tree) same quer$5 same (load or policy or qos or (qulity adj2 service))) and (@rlad<"20030114" or @ad<"20030114") and rout$5.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:31
S18	12	(updat$5 with (topology or (routing adj2 (table or information)) or tree) same quer$5 same (load or policy or qos or (qulity adj2 service))) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:53
S19	1	("2003/0158940").URPN.	USPAT	OR	ON	2007/06/06 11:50
S20	311	((topology or (routing adj2 (table or information)) or tree) same quer$5 same (load or policy or qos or (qulity adj2 service))) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:54
S21	31	(router same ((topology or (routing adj2 (table or information)) or tree) same quer$5 same (load or policy or qos or (qulity adj2 service)))) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:18
S22	6	(router same (policy adj2 server) same updat$5 same table) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:23
S24	1	(router same (quality adj4 server) same updat$5 same table) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:24
S25	2	(router same (load$5 adj4 server) same updat$5 same table) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:24

S26	27	(router same (control adj4 server) same updat$5 same table) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:25
S27	30	(router same (control$5 adj4 server) same updat$5 same table) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:13
S28	243	(router same (server) same updat$5 same table) and (@rlad<"20030114" or @ad<"20030114") not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:13
S29	73	(router same (server) same updat$5 same table) and topology and (@rlad<"20030114" or @ad<"20030114") not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:55
S30	8059	((updat$4 or chang$5) with (topology or (rout$5 adj table))) and (@rlad<"20030114" or @ad<"20030114") not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:57
S31	7	(((updat$4 or chang$5) with (topology or (rout$5 adj table))) same (validat$4) same polic$4) and (@rlad<"20030114" or @ad<"20030114") not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:58
S32	7	(((updat$4 or chang$5) with (topology or (rout$5 adj table))) same (validat$4) same polic$4) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:02
S33	41	((validat$4) with rout$5 with polic$4) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:03

S34	41	((validat$4) with rout$5 with polic$4) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:48
S35	3636	((validat$4) with rout$5) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:17
S36	20	(((validat$4) with rout$5) same ((management or control or policy) adj2 server)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:20
S37	23946071	((rout$4 or switch$4 or gateway) same server) (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:50
S38	81209	((rout$4 or switch$4 or gateway) same server) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:50
S39	1109267	((rout$4 or switch$4 or gateway) same (server or control or management)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:51
S40	226668	((rout$4 or switch$4 or gateway) same (server or control or management) same (updat$4 or modif$5 or chang$5)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:52
S41	17005	((rout$4 or switch$4 or gateway) same (server or control or management) same (updat$4 or modif$5 or chang$5) same (table or tree or list)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:52

EAST Search History

S42	1840	((rout$4 or switch$4 or gateway) same (server or control or management) same (updat$4 or modif$5 or chang$5) same (table or tree or list)) and (qos or (quality adj2 service)) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:53
S43	940	((rout$4 or switch$4 or gateway) same (server or control or management) same (updat$4 or modif$5 or chang$5) same (table or tree or list)) and (qos or (quality adj2 service)) and TCP and IP and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 08:54
S44	345	((rout$4 or switch$4 or gateway) same (server or control or management) same (updat$4 or modif$5 or chang$5) same (table or tree or list)) and (qos or (quality adj2 service)) and TCP and IP and topology and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:11
S45	215	((rout$4 or switch$4 or gateway) same (server or control or management) same (updat$4 or modif$5 or chang$5) same (table or tree or list)) and (qos or (quality adj2 service)) and TCP and IP and topology and (routing adj table) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:09
S46	178	((rout$4 or switch$4 or gateway) same (server or control or management) same (updat$4 or modif$5 or chang$5) same (table or tree or list)) and (qos or (quality adj2 service)) and TCP and IP and topology and (routing adj table) and ((updat$4 or modif$5 or chang$5) with (topology or (routing adj table))) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:10
S47	1	("2003/0158940").URPN.	USPAT	OR	ON	2007/06/07 13:08
S48	22148	(server with router) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:12

EAST Search History

S49	13233	(server adj4 router) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:12
S50	8482	(server adj router) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:12
S51	2161	(server adj router) and TCP and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:13
S52	53	(server adj router) and (advantage with TCP) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:13
S53	1	(server adj router) and (advantage with TCP) and (@rlad<"20030114" or @ad<"20030114") and rout$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:17
S54	10	(server with as with router) and (advantage with TCP) and (@rlad<"20030114" or @ad<"20030114") and rout$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:20
S55	8	(advantage adj2 TCP) and (@rlad<"20030114" or @ad<"20030114") and rout$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:21
S56	167	(server with function with router) and (@rlad<"20030114" or @ad<"20030114") and rout$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:21

EAST Search History

S57	87	(server with function with router) and tcp and (@rlad<"20030114" or @ad<"20030114") and rout$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:23
S58	2	(servers with interconnect$4 with TCP with IP) and (@rlad<"20030114" or @ad<"20030114") and rout$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 22:03
S59	2	(servers with interconnect$4 with TCP with IP) and (@rlad<"20030114" or @ad<"20030114") and rout$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 09:11
S60	348	(server with cluster with ip) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 09:12
S61	253	(server with cluster with ip) and router and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 09:13
S62	19	(server with cluster with ip) and (advantage with ip) and (@rlad<"20030114" or @ad<"20030114")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 12:25